



AIMWIN[®]

Red Dot Sights Deck Proposal

AIMWIN Innovations Inc.

Shawn

shawn@aimwin.com

Tel: +1-425-780-3277

WhatsApp: +1-647-916-5698

RED DOT

Open Reflex




PN320

Open Reflex Sight

Features:

- RMR Footprint
- Side Loading Battery
- IPX7 & Vibration Resistance at 2,000G
- Parallax Free Design

- ▲ **2 MOA Dot Size & 32 MOA Circle Size**
- ▲ **Aim Awake Mode - quickly resume targeting and engagement**
- ▲ **MAP: 209,95 €**



Specifications

Dot Color	Red
Dimensions	45.3*30.7*28.2 mm
Battery	CR1632 (10,000hours)
Brightness Settings	9 Daylight & 2 Night Vision Levels

Weight	38g (1.34 oz)
Water Resistance	IPX7
Footprint	RMR
Housing Material	Aluminum Alloy A6061-T6

PN120 GR

Open Reflex Sight

Features:

- RMR Footprint
- Side Loading Battery
- IPX7 & Vibration Resistance at 2,000G
- Parallax Free Design
- Green Dot

▲ 2 MOA Dot Size

▲ Aim Awake Mode - quickly resume targeting and engagement

▲ With Green dot - Daytime outdoor shooting and more friendly for astigmatism users

▲ MAP: 209,95 €

Specifications

Dot Color	Green
Dimensions	45.3*30.7*28.2 mm
Battery	CR1632 (10,000hours)
Brightness Settings	9 Daylight & 2 Night Vision Levels

Weight	38g (1.34 oz)
Water Resistance	IPX7
Footprint	RMR
Housing Material	Aluminum Alloy A6061-T6



New Available

RED DOT

Enclosed Reflex



New Available

PE320 Enclosed Reflex Sight

Features:

- RMR Footprint, with Acro mounting plate
- Side Loading Battery
- IPX7 & Vibration Resistance at 2,000G
- Parallax Free Design
- Dual screens - offer improved protection in harsh environments filled with inert gas.

- ▲ **3 MOA Dot Size & 36 MOA Circle Size**
- ▲ **Aim Awake Mode - quickly resume targeting and engagement**
- ▲ **Solar Panel - offers extended lifespan**
- ▲ **MAP 329,95 €**

Specifications

Dot Color	Red
Dimensions	45.3*35.0*31.2 mm
Battery	CR2032 (50,000hours)
Brightness Settings	9 Daylight & 2 Night Vision Levels



Weight	62g (2.19 oz)
Water Resistance	IPX7
Footprint	RMR
Housing Material	Aluminum Alloy A6061-T6



Tests
Video links



Ex-factory Inspection


Every single units of red dot compltes our rigorous validation process prior to shipment.

Including:

- ▲ Impact Test - 2000G resistance
- ▲ Waterproof Test - 1m
- ▲ Temperature Extrems Test -
-40°F~140°F(-40°C~60°C)
- ▲ Lens inspection & cleaning
- ▲ Parallax Test


Test videos & photos link
(Google drive)

https://drive.google.com/drive/folders/1HfgRL5OKYXkq2Jfr1IT2KP2AKfe_pdJ8?usp=sharing



Ex-factory Inspection

Parallax-free inspection & comparison with others



Video (Google drive)

https://drive.google.com/file/d/1RDBn6XxUZ7233RMfT3Jqx0esofxnwUz0/view?usp=drive_link

Package & Accessory Introduction



Accessory

AN2-MOS

Adaptor Plate

For the GLOCK MOS system:

**G17 MOS / G19 MOS / G22 MOS /
G23 MOS / G34 MOS / G40 MOS /
G41 MOS / G45 MOS / G47 MOS**

Compatible Models:

- ▲ PN320
- ▲ PN120 GR
- ▲ PE320
- ▲ Other red dots using the RMR footprint
- ▲ MAP 24,95 €



Package Overview *PE320



Package Overview *PE320





Shawn

shawn@aimwin.com

Tel: +1-425-780-3277

WhatsApp: +1-647-916-5698